



CABLE MANAGEMENT SYSTEM



ASHRAF INDUSTRIES





Ashraf Industries is the largest independent manufacturer of cable management systems in the Pakistan. With over 15 years manufacturing experience we are able to call upon a wealth of expertise and knowledge to offer high quality cable management solutions, which are cost effective, completely reliable, and quicker and easier to install than conventional systems.


Our Cable Management systems are manufactures under a proven quality assurance system. There is a consistent approach throughout the manufacturing process.

Comprehensive technical assistance is available both before and after sale. Further information on the products featured in the catalogue may be obtained from our sales and technical departments, which are well equipped to offer advice about our products and the suitability of materials and finishes.

ASHRAF INDUSTRIES, LAHORE.



Straight Ladder With Cover




S.NO.	CODE NO.	W (mm)	H (mm)	L (m)
1	AI-CL-10-7.5	100	75	2.44
2	AI-CL-10-10	100	100	2.44
3	AI-CL-10-15	100	150	2.44
4	A1-CL-20-7.5	200	75	2.44
5	AI-CL-20-10	200	100	2.44
6	AI-CL-20-15	200	150	2.44
7	AI-CL-30-7.5	300	75	2.44
8	AI-CL-30-10	300	100	2.44
9	AI-CL-30-15	300	150	2.44
10	AI-CL-40-7.5	400	75	2.44
11	AI-CL-40-10	400	100	2.44

FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted


S.NO.	CODE NO.	W (mm)	H (mm)	L (m)
12	AI-CL-40-15	400	150	2.44
13	AI-CL-45-70	450	75	2.44
14	AI-CL-45-10	450	100	2.44
15	AI-CL-45-15	450	150	2.44
16	AI-CL-50-7.5	500	75	2.44
17	AI-CL-50-10	500	100	2.44
18	AI-CL-50-15	500	150	2.44
19	AI-CL-60-7.5	600	75	2.44
20	AI-CL-60-10	600	100	2.44
21	AI-CL-60-15	600	150	2.44

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel
SIZE: Available in 2.44/3 Meter Length

Ladder Tray Horizontal 90° Bend



DETAIL-A



DETAIL-B

S.NO.	CODE NO.	W (mm)	H (mm)	R (mm)
1	AI-B90-10-7.5-60	100	75	600
2	AI-B90-10-10-60	100	100	600
3	AI-B90-10-15-60	100	150	600
4	AI-B90-20-7.5-60	200	75	600
5	AI-B90-20-10-60	200	100	600
6	AI-B90-20-15-60	200	150	600
7	AI-B90-30-7.5-60	300	75	600
8	AI-B90-30-10-60	300	100	600
9	AI-B90-30-15-60	300	150	600
10	AI-B90-40-7.5-60	400	75	600
11	AI-B90-40-10-60	400	100	600
12	AI-B90-40-15-60	400	150	600
13	AI-B90-45-7.5-60	450	75	600
14	AI-B90-45-10-60	450	100	600
15	AI-B90-45-15-60	450	150	600


FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

S.NO.	CODE NO.	W (mm)	H (mm)	R (mm)
16	AI-B90-50-7.5-60	500	75	600
17	AI-B90-50-10-60	500	100	600
18	AI-B90-50-15-60	500	150	600
19	AI-B90-60-7.5-60	600	75	600
20	AI-B90-60-10-60	600	100	600
21	AI-B90-60-15-60	600	150	600

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel




Ladder Tray Horizontal 45° Bend



DETAIL-A

S.NO.	CODE NO.	W (mm)	H (mm)	R (mm)
1	AI-B45-10-7.5-60	100	75	600
2	AI-B45-10-10-60	100	100	600
3	AI-B45-10-15-60	100	150	600
4	AI-B45-20-7.5-60	200	75	600
5	AI-B45-20-10-60	200	100	600
6	AI-B45-20-15-60	200	150	600
7	AI-B45-30-7.5-60	300	75	600
8	AI-B45-30-10-60	300	100	600
9	AI-B45-30-15-60	300	150	600
10	AI-B45-40-7.5-60	400	75	600
11	AI-B45-40-10-60	400	100	600
12	AI-B45-40-15-60	400	150	600
13	AI-B45-45-7.5-60	450	75	600
14	AI-B45-45-10-60	450	100	600
15	AI-B45-45-15-60	450	150	600

FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted




DETAIL-B

S.NO.	CODE NO.	W (mm)	H (mm)	R (mm)
16	AI-B45-50-7.5-60	500	75	600
17	AI-B45-50-10-60	500	100	600
18	AI-B45-50-15-60	500	150	600
19	AI-B45-60-7.5-60	600	75	600
20	AI-B45-60-10-60	600	100	600
21	AI-B45-60-15-60	600	150	600

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel



Ladder Type Tee



S.NO.	CODE NO.	W (mm)	H (mm)	R (mm)
1	AT-T-10-7.55-60	100	75	600
2	AT-T-10-10-60	100	100	600
3	AT-T-10-15-60	100	150	600
4	AT-T-20-7.5-60	200	75	600
5	AT-T-20-10-60	200	100	600
6	AT-T-20-15-60	200	150	600
7	AT-T-30-7.5-60	300	75	600
8	AT-T-30-10-60	300	100	600
9	AT-T-30-15-60	300	150	600
10	AT-T-40-7.5-60	400	75	600
11	AT-T-40-10-60	400	100	600
12	AT-T-40-15-60	400	150	600
13	AT-T-45-7.5-60	450	75	600
14	AT-T-45-10-60	450	100	600
15	AT-T-45-15-60	450	150	600


FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

S.NO.	CODE NO.	W (mm)	H (mm)	R (mm)
16	AT-T-50-7.5-60	500	75	600
17	AT-T-50-10-60	500	100	600
18	AT-T-50-15-60	500	150	600
19	AT-T-60-7.5-60	600	75	600
20	AT-T-80-10-60	600	100	600
21	AT-T-60-15-60	600	150	600

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel



Ladder Type Cross/with Cover



DETAIL-A

DETAIL-B





S.NO.	CODE NO.	W (mm)	H (mm)	R (mm)
1	AI-CR-10-7.5-60	100	75	600
2	AI-CR-10-10-60	100	100	600
3	AI-CR-10-15-60	100	150	600
4	AI-CR-20-7.5-60	200	75	600
5	AI-CR-20-10-60	200	100	600
6	AI-CR-20-15-60	200	150	600
7	AI-CR-30-7.5-60	300	75	600
8	AI-CR-30-10-60	300	100	600
9	AI-CR-30-15-60	300	150	600
10	AI-CR-40-7.5-60	400	75	600
11	AI-CR-40-10-60	400	100	600
12	AI-CR-40-15-60	400	150	600
13	AI-CR-45-7.5-60	450	75	600
14	AI-CR-45-10-60	450	100	600
15	AI-CR-45-15-60	450	150	600

FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

S.NO.	CODE NO.	W (mm)	H (mm)	R (mm)
16	AI-CR-50-7.5-60	500	75	600
17	AI-CR-50-10-60	500	100	600
18	AI-CR-50-15-60	500	150	600
19	AI-CR-60-7.5-60	600	75	600
20	AI-CR-60-10-60	600	100	600
21	AI-CR-60-15-60	600	150	600

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel

Ladder Type Inside Riser with Cover



S.NO.	CODE NO.	W (mm)	H (mm)
1	AI-IR-10-7.5	100	75
2	AI-IR-10-10	100	100
3	AI-IR-10-15	100	150
4	AI-IR-20-7.5	200	75
5	AI-IR-20-10	200	100
6	AI-IR-20-15	200	150
7	AI-IR-30-7.5	300	75
8	AI-IR-30-10	300	100
9	AI-IR-30-15	300	150
10	AI-IR-40-7.5	400	75
11	AI-IR-40-10	400	100
12	AI-IR-40-15	400	150
13	AI-IR-45-7.5	450	75
14	AI-IR-45-10	450	100
15	AI-IR-45-15	450	150


FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

S.NO.	CODE NO.	W (mm)	H (mm)
16	AI-IR-50-7.5	500	75
17	AI-IR-50-10	500	100
18	AI-IR-50-15	500	150
19	AI-IR-60-7.5	600	75
20	AI-IR-60-10	600	100
21	AI-IR-60-15	600	150


MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel




Ladder Type Outside Riser with Cover



DETAIL-A



DETAIL-B



S.NO.	CODE NO.	W (mm)	H (mm)
1	AI-OR-10-7.5	100	75
2	AI-OR-10-10	100	100
3	AI-OR-10-15	100	150
4	AI-OR-20-7.5	200	75
5	AI-OR-20-10	200	100
6	AI-OR-20-15	200	150
7	AI-OR-30-7.5	300	75
8	AI-OR-30-10	300	100
9	AI-OR-30-15	300	150
10	AI-OR-40-7.5	400	75
11	AI-OR-40-10	400	100
12	AI-OR-40-15	400	150
13	AI-OR-45-7.5	450	75
14	AI-OR-45-10	450	100
15	AI-OR-45-15	450	150


FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

S.NO.	CODE NO.	W (mm)	H (mm)
16	AI-OR-50-7.5	500	75
17	AI-OR-50-10	500	100
18	AI-OR-50-15	500	150
19	AI-OR-60-7.5	600	75
20	AI-OR-60-10	600	100
21	AI-OR-60-15	600	150

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel



Hanger Post Assembly Arrangement and Bracket




S.NO.	CODE NO.	L (mm)	TRAY (mm)	A (mm)	B (mm)	ALLOWABLE STATIC LOAD (KG)
1	AI-BR-10	200	100	150	80	200
2	AI-BR-20	300	200	150	100	225
3	AI-BR-30	400	300	150	100	250
4	AI-BR-40	500	400	150	100	275
5	AI-BR-50	600	500	200	150	300
6	AI-BR-60	700	600	200	150	350

FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel



Perforated Cable Tray With Cover And Assembly




S.NO.	CODE NO.	W (mm)	H (mm)	L (mm)
1	AI-CT-10-7.5	100	75	2.44
2	AI-CT-10-10	100	100	2.44
3	AI-CT-20-7.5	200	75	2.44
4	AI-CT-20-10	200	100	2.44
5	AI-CT-30-7.5	300	75	2.44
6	AI-CT-30-10	300	100	2.44
7	AI-CT-40-7.5	400	75	2.44
8	AI-CT-40-10	400	100	2.44
9	AI-CT-45-7.5	450	75	2.44
10	AI-CT-45-10	450	100	2.44
11	AI-CT-50-7.5	500	75	2.44
12	AI-CT-50-10	500	100	2.44
13	AI-CT-60-7.5	600	75	2.44
14	AI-CT-60-10	600	100	2.44

FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel
SIZE: Available in 2.44/3 Meter Length

Perforated Type Horizontal 90° Bend With Cover





S.NO.	CODE NO.	W (mm)	H (mm)	R (mm)
1	AI-B90-10-7.5-60	100	75	300
2	AI-B90-10-10-60	100	100	300
3	AI-B90-20-7.5-60	200	75	300
4	AI-B90-20-10-60	200	100	300
5	AI-B90-30-7.5-60	300	75	300
6	AI-B90-30-10-60	300	100	300
7	AI-B90-40-7.5-60	400	75	300
8	AI-B90-40-10-60	400	100	300
9	AI-B90-45-7.5-60	450	75	300
10	AI-B90-45-10-60	450	100	300
11	AI-B90-50-7.5-30	500	75	300
12	AI-B90-50-10-60	500	100	300
13	AI-B90-60-7.5-60	600	75	300
14	AI-B90-60-10-60	600	100	300

FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel



Perforated Type Horizontal 45° Bend With Cover




S.NO.	CODE NO.	W (mm)	H (mm)
1	AI-B45-10-7.5-60	100	75
2	AI-B45-10-10-60	100	100
3	AI-B45-20-7.5-60	200	75
4	AI-B45-20-10-60	200	100
5	AI-B45-30-7.5-60	300	75
6	AI-B45-30-10-60	300	100
7	AI-B45-40-7.5-60	400	75
8	AI-B45-40-10-60	400	100
9	AI-B45-45-7.5-60	450	75
10	AI-B45-45-10-60	450	100
11	AI-B45-50-7.5-60	500	75
12	AI-B45-50-10-60	500	100
13	AI-B45-60-7.5-60	600	75
14	AI-B45-60-10-60	600	100

FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel



Perforated Type Tee




S.NO.	CODE NO.	W (mm)	H (mm)	R (mm)
1	AI-T-10-7.5-60	100	75	300
2	AI-T-10-10-60	100	100	300
3	AI-T-20-7.5-60	200	75	300
4	AI-T-20-10-60	200	100	300
5	AI-T-30-7.5-60	300	75	300
6	AI-T-30-10-60	300	100	300
7	AI-T-40-7.5-60	400	75	300
8	AI-T-40-10-60	400	100	300
9	AI-T-45-7.5-60	450	75	300
10	AI-T-45-10-60	450	100	300
11	AI-T-50-7.5-60	500	75	300
12	AI-T-50-10-60	500	100	300
13	AI-T-60-7.5-60	600	75	300
14	AI-T-60-10-60	600	100	300

FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel



Perforated Type Cross




S.NO.	CODE NO.	W (mm)	H (mm)	R (mm)
1	AI-CR-10-7.5-60	100	75	300
2	AI-CR-10-10-60	100	100	300
3	AI-CR-20-7.5-60	200	75	300
4	AI-CR-20-10-60	200	100	300
5	AI-CR-30-7.5-60	300	75	300
6	AI-CR-30-10-60	300	100	300
7	AI-CR-40-7.5-60	400	75	300
8	AI-CR-40-10-60	400	100	300
9	AI-CR-45-7.5-60	450	75	300
10	AI-CR-45-10-60	450	100	300
11	AI-CR-50-7.5-60	500	75	300
12	AI-CR-50-10-60	500	100	300
13	AI-CR-60-7.5-60	600	75	300
14	AI-CR-60-10-60	600	100	300

FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel

Perforated Type Inside Riser





S.NO.	CODE NO.	W (mm)	H (mm)	R (mm)
1	A-IR-10-7.5-60	100	75	300
2	A-IR-10-10-60	100	100	300
3	A-IR-20-7.5-60	200	75	300
4	A-IR-20-10-60	200	100	300
5	A-IR-30-7.5-60	300	75	300
6	A-IR-30-10-60	300	100	300
7	A-IR-40-7.5-60	400	75	300
8	A-IR-40-10-60	400	100	300
9	A-IR-45-7.5-60	450	75	300
10	A-IR-45-10-60	450	100	300
11	A-IR-50-7.5-60	500	75	300
12	A-IR-50-10-60	500	100	300
13	A-IR-60-7.5-60	600	75	300
14	A-IR-60-10-60	600	100	300

FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel



Perforated Type Outside Riser






S.NO.	CODE NO.	W (mm)	H (mm)	R (mm)
1	A-IR-10-7.5-60	100	75	300
2	A-IR-10-10-60	100	100	300
3	A-IR-20-7.5-60	200	75	300
4	A-IR-20-10-60	200	100	300
5	A-IR-30-7.5-60	300	75	300
6	A-IR-30-10-60	300	100	300
7	A-IR-40-7.5-60	400	75	300
8	A-IR-40-10-60	400	100	300
9	A-IR-45-7.5-60	450	75	300
10	A-IR-45-10-60	450	100	300
11	A-IR-50-7.5-60	500	75	300
12	A-IR-50-10-60	500	100	300
13	A-IR-60-7.5-60	600	75	300
14	A-IR-60-10-60	600	100	300

FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel



Joining Plate Assembly Ladder Type and Perforated Type






S.NO.	CODE NO.	H1 (mm)
1	AI-JP-7.5	82
2	AI-JP-10	108
3	AI-JP-15	158

FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel



Assembly For Vertical Adjustable Joint Plate






S.NO.	CODE NO.	H (mm)	H1 (mm)
1	AI-VJ-7.5	75	69
2	AI-VJ-10	100	94
3	AI-VJ-15	150	144

FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel

Assembly For Horizontal Adjustable Joint Plate





S.NO.	CODE NO.	H (mm)	H1 (mm)
1	AI-HJP-7.5	75	69
2	AI-HJP-10	100	94
3	AI-HJP-15	150	144

FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel



Reducer Plate Assembly




S.NO.	CODE NO.	W1 (mm)	H (mm)	H1 (mm)
1	A-RP-10-7.5	100	75	70
2	A-RP-10-10	100	100	94
3	A-RP-10-15	100	150	144
4	A-RP-20-7.5	200	75	70
5	A-RP-20-10	200	100	94
6	A-RP-20-15	200	150	144
7	A-RP-30-7.5	300	75	70
8	A-RP-30-10	300	100	94
9	A-RP-30-15	300	150	144
10	A-RP-40-7.5	400	75	70
11	A-RP-40-10	400	100	94
12	A-RP-40-15	400	150	144
13	A-RP-45-7.5	450	75	70
14	A-RP-45-10	450	100	94
15	A-RP-45-15	450	150	144

FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

S.NO.	CODE NO.	W (mm)	H (mm)
16	AI-RP-50-7.5	500	70
17	AI-RP-50-10	500	94
18	AI-RP-50-15	500	144
19	AI-RP-60-7.5	600	70
20	AI-RP-60-10	600	94
21	AI-RP-60-15	600	144

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel

Hold Down Clamp with J-Bolt/Side Rail Clamp




FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel




Base Plate with Coupler Nut, Angle Steel Rung, Surface C-Channel




SURFACE C-CHANNEL PLAIN
Available Size (41x41 , 41x25)



SURFACE C-CHANNEL PERFORATED
Available Size (41x41 , 41x25)



ANGLE STEEL RUNG



BASE PLATE WITH COUPLER NUT


S.NO.	Angle Steel Rung	L (mm)
1	AI-SR-030	300
2	AI-SR-045	450
3	AI-SR-060	600
4	AI-SR-080	800
5	AI-SR-100	1000

FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

BASE PLATE PART NO.	COUPLER SIZE	LENGTH OF COUPLER (mm)
AI-BP-037	3/8"-11	60
AI-BP-050	1/2"-13	60
AI-BP-060	5/8"-16	60


MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel

Double & Single Direction C-Channel Bracket



S.NO.	CODE NO.	L (mm)	T (mm)
1	AI-SCB-20	200	10
2	AI-SCB-25	250	10
3	AI-SCB-30	300	10
4	AI-SCB-40	400	10
5	AI-SCB-50	500	10
6	AI-SCB-55	550	10
7	AI-SCB-60	600	10

FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted




S.NO.	CODE NO.	L (mm)	T (mm)
1	AI-DCB-20	200	10
2	AI-DCB-25	250	10
3	AI-DCB-30	300	10
4	AI-DCB-40	400	10
5	AI-DCB-50	500	10
6	AI-DCB-55	550	10
7	AI-DCB-60	600	10

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel



Cable Management System Running on Ceiling (Surface Mounted)




FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel



Cable Management System Wall Support by C-Channel & Bracket Bracket Assembly C-Channel




FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel



Cable Management System Wall Support by C-Channel & Bracket Bracket Assembly with C-Channel Nut & Bolt




FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel





Cable Management System Wall Support by C-Channel & Bracket Bracket Assembly with C-Channel Nut & Bolt



FINISH: Hot Dip Galvanised (ASTM A-123)
Powder Coated and Painted

MATERIAL: Hot Rolled/Cold Rolled
Mild Steel/Stainless Steel



**Head Office**

Chah Miran Road, Near Islamia High School, Misri Shah, Lahore.

Factories**Unit-1**

Plot#1, Chah Miran Road, Near Islamia High School, Misri Shah, Lahore.

Unit-2

Plot#2, Chah Miran Road, Near Islamia High School, Misri Shah, Lahore.

Unit-3

Plot#3, Chah Miran Road, Near Islamia High School, Misri Shah, Lahore.

Unit-4

Galvanizing Plant & Ware House (Bund Road), Near China Scheme, Shahbaz Road, Lahore.

Phones

0092 42 728 9248 - 626 2112

Fax

0092 42 728 0597

URL

<http://www.ashrafindustries.com>

e-mail

info@ashrafindustries.com